SERIAL NO.: FILED:

10/812,660 March 29, 2004

Page 2

RECEIVED CENTRAL PAX CENTER NOV 2 1 2007

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listing of claims in the application. Please amend the claims as follows:

1. (Currently Amended) A method for delivering information in a wireless network, the method comprising;

receiving from a client, a request for delivery of the information; creating a multicast schedule in response to the request; and sending the information to the client according to [[a]] the multicast schedule.

- 2. (Original) The method of claim 1 further comprising: sending a response to the client confirming scheduling of the request.
- 3. (Currently Amended) The method of claim 1 further comprising: determining whether the a multicast schedule created in response to a previous request from another client exists for the request; and if not, creating the multicast schedule.
- 4. (Original) The method of claim 1 wherein the request includes a multicast address and a quality of service (QoS) identifier.
- 5. (Original) The method of claim 1 further comprising:

deleting the multicast schedule after all clients associated with the multicast schedule have been sent the information.

(Original) The method of claim 5 wherein deleting the multicast schedule comprises receiving a deletion request from each client associated with the multicast schedule to delete the multicast schedulc.

SERIAL NO .:

10/812,660

FILED: Page 3

March 29, 2004

- 7. (Original) The method of claim 1 wherein the wireless network comprises a wireless local area network (WLAN) and wherein the request comprises a transmission specification (TSPEC) request.
- 8. (Original) The method of claim 2 wherein the response comprises a TSPEC response.
- 9. (Currently Amended) A method of receiving information in a wireless network, the method comprising:

sending a request for delivery of the information information, the request including a multicast designation address;

receiving a response confirming a scheduled multicast delivery of the information, the scheduled multicast delivery of the information created in response to the request for delivery of the information; and

configuring a power saving protocol to accommodate [[a]] the scheduled multicast delivery of the information.

- 10. (Cancelled)
- 11. (Cancelled)
- (Original) The method of claim 9 wherein the request includes a quality of service (QoS) attribute.
- 13. (Original) The method of claim 9 wherein the wireless network comprises a wireless local area network (WLAN).
- 14. (Original) The method of claim 13 wherein the WLAN uses orthogonal frequency division multiplexing (OFDM).
- 15. (Original) The method of claim 9 wherein the request comprises a transmission specification (TSPEC).

SERIAL NO.: FILED:

10/812,660 March 29, 2004

Page 4

16. (Original) The method of claim 9 further comprising sending a schedule deletion request to delete a multicast schedule.

17. (Currently Amended) A communication apparatus comprising:

a processing circuit adapted to coordinate a power saving mode of the apparatus with a multicast schedule specified by a network device, wherein the processing portion includes a media access controller (MAC) to request delivery of information from the network device and to indicate confirmation of a scheduled multicast delivery from the network device to an application, the scheduled multicast delivery of the information created in response to the request for delivery of information; and

a radio frequency (RF) interface coupled to the processing circuit.

- 18. (Cancelled)
- 19. (Cancelled)
- 20. (Cancelled)
- 21. (Currently Amended) The apparatus of claim 19 17 wherein the MAC is further configured to send a delete request message requesting removal of the apparatus from the multicast schedule.
- 22. (Currently Amended) The apparatus of claim 17 wherein the apparatus comprises a wireless user station (STA) and a network adaptor.
- 22. (Cancelled)
- 23. (Original) The apparatus of claim 18 further comprising: at least two antennas coupled to the RF interface.

SERIAL NO.: FILED: 10/812,660

Page 5

March 29, 2004

24. (Currently Amended) Λ communication apparatus comprising:

a processing circuit adapted to be able to determine a wireless multicast schedule in accordance with power saving modes of multiple client devices;

wherein scheduling of the wireless multicast is based on one or more requests having a multicast address and received from one or more network devices.

25. (Original) The device of claim 24 further comprising:

an RF interface coupled with the processing circuit and configured to transmit the wireless multicast according to the schedule determined by the processing circuit.

26. (Original) The apparatus of claim 24 wherein the apparatus comprises a wireless local area network (WLAN) access point.

27. (Cancelled)

- 28. (Currently Amended) The apparatus of claim 24 wherein the processing circuit is adapted to be able to send the schedule to one or more requesting network devices as a transmission specification (TSPEC) response.
- 29. (Currently Amended) The apparatus of claim 24 wherein the processing circuit is further adapted to be able to buffer application data packets for the wireless multicast until a time indicated on the schedule.
- 30. (Original) The apparatus of claim 25 further comprising:

at least two antennas coupled to the RF interfaces for enabling multiple input multiple output (MIMO) communications.

31. (Currently Amended) Λ communication system comprising:

a radio frequency (RF) transceiver;

at least two antennas electrically coupled to the RF transceiver; and

P.008

APPLICANT(S): STEPHENS, Adrian

SERIAL NO.:

10/812,660

FILED: Page 6

March 29, 2004

a data processing circuit electrically coupled with the RF transceiver, wherein the data processing circuit is eonfigured-to-be able to determine a wireless multicast schedule in accordance with power saving modes of multiple client devices;

wherein scheduling of the wireless multicast is based on one or more requests having a multicast address and received from one or more network devices.

32. (Cancelled)

- 33. (Original) The communication system of claim 32 wherein the requests comprise a transmission specification (TSPEC) including a multicast address and a quality of service (QoS) indicator.
- 34. (Original) The communication system of claim 31 wherein the communication system comprises a wireless local area network (WLAN) access point (AP).